

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

The list of approved media is a positive list and a living document which is updated at regular intervals. The procedure is based on a SOP and model systems are used to estimate the material compatibility. Results are based on a SOP for material resistance/corrosive potential and performed by a reference institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

- **Plastic Part Testing**, includes an additional test with typical plastic parts used in the printing unit and rubber coverings of ink and dampening rollers. Founts which passed this test successfully are marked by a green indicator in this column.
- If the tests are not yet completed, the founts are marked by a yellow indicator in this column.
- If no plastic part test is in progress or a successful test was not submitted to our office the mentioned area in the form is not marked.
- After a successful introduction of the plastic part test in 01/2006 all new installed presses/orders since 01/2007 are obliged to run a fount that fulfills both, the corrosion and the plastic part criteria. In general we recommend our customers to use fountain solutions which fulfil both, the corrosion and the plastic part criteria to ensure the balance between performance and protection of the printing system.

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 401Q	approved		08/2016
	printcom fount H 402D	approved		08/2016
	printcom fount H 501Q	approved		08/2016
	printcom fount H 502Q	approved		08/2016
	printcom fount H 503Q	approved		08/2016
	printcom fount H 504D	approved		08/2016
	printcom fount H 505D	approved		08/2016
	printcom fount H 506D	approved		08/2016
	printcom fount H 507D	approved		08/2016
	printcom fount H 509X	approved		08/2016
	printcom fount H 510X	approved		08/2016
	printcom fount H 511X	approved		08/2016
	printcom fount H 512B	approved		08/2016
	printcom fount H 513X	approved		08/2016
	printcom fount H 514Q	approved		08/2016
	printcom fount H 516X	approved		08/2016
	printcom fount H 517E	approved		08/2016
	printcom fount H 518B	approved		08/2016
	printcom fount H 519 X	approved		08/2016
	printcom fount H 520E-long run	approved		08/2016
printcom test fount 1105 S1	approved		11/2016	
printcom fount C 709X	approved		08/2016	
printcom fount MR 602X	approved		08/2016	
Allied Pressroom Products	News Fount	approved		08/2016
Allied Pressroom Products	Titan Fount NWS	approved		08/2016
ABC/Allied Pressroom Products (China) Ltd.	Titan Fount NWS	approved		08/2016
Actega Kelstar Inc.	Starfount WP-1101	approved		08/2016
Agfa Graphics	Prima FS 909	approved		08/2016
Anchor Pressroom Products	Emerald 4350 Q7	approved		08/2016
	Emerald 5100	approved		08/2016
	Emerald 5150	approved		08/2016
	Emerald Premium Hard 5470	approved		10/2016
	Emerald Premium 5501	approved		08/2016
	Emerald Premium 5510	approved		08/2016

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
	Emerald Premium 5520	approved		08/2016
	Emerald Premium 5540	approved		08/2016
	Emerald Premium Hard 5540	approved		08/2016
	Emerald Premium 5560	approved		08/2016
	Emerald Premium Hard 5560	approved		08/2016
Atece Graphic Products b.v.	Tenacid 3031 CIC	approved		08/2016
	TenCaCid 4250 DA-IQ	approved		08/2016
Baco Chemical Services Ltd.	Baco Fount W 32 i	approved		08/2016
BluePrint Products NV	BlueFount HC 310	approved		08/2016
	BlueFount HI 351	approved		08/2016
	BlueFount HI 352	approved		08/2016
Brenntag CEE GmbH	Top-Fount HS/KR 8000	approved		08/2016
CHE. T Ltd.	Chembyo Fountain Solution HF	approved		08/2016
Chemtec Solutions Ltd.	Velociter Fount Solution	approved		08/2016
CSFI	Webecol	approved		08/2016
C & W Pressroom Products	Safe CFM AR	approved		08/2016
Day International	Durafount	approved		08/2016
	Majesta 460	approved		08/2016
	Response 1560	approved		08/2016
	Varn Elite Fount	approved		08/2016
	Varn Elite Fount 250	approved		08/2016
	Varn HSF 2218	approved		08/2016
	Varn HSF 7262	approved		08/2016
	Varn Hydro Fount	approved		08/2016
	Varn Hydro Fount 250	approved		08/2016
DC DruckChemie GmbH	Wassertop 104/Plus	approved		08/2016
	Wassertop 104/Plus „W“	approved		08/2016
	Wassertop 104/7.C	approved		08/2016
	Wassertop HS/2.2	approved		08/2016
	Wassertop HS 2.46	approved		08/2016
	Wassertop HS 2.46 H	approved		08/2016
	Wassertop HS 2.47	approved		08/2016
	Wassertop HS 2.48	approved		08/2016
	Wassertop HS 2.48 Spezial	approved		08/2016
	Wassertop HS 2.49	approved		08/2016
	Wassertop HS 3000	approved		09/2016
	Wassertop HS 3001	approved		09/2016
	Delmike Products Ltd.	Alcoplus HMK	approved	
Dong Guan City Henkel Printing Materials	LMX-808	approved		08/2016
	OCE-808	approved		08/2016
DS Druckerei Service GmbH	Acedin Heat 2000	approved		08/2016
	Acedin Heat 2075	approved		08/2016
	Acedin Web 1520	approved		08/2016
	Acedin Web 1550	approved		08/2016

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
DS Druckerei Service GmbH	Acedin Web 1550 L	approved		08/2016
	Acedin Web 1555 Q7	approved		08/2016
	Acedin Heat 2083	approved		08/2016
	Acedin Heat 2085	approved		08/2016
	Acedin Heat 2070	approved		08/2016
	Acedin Heat 5000	approved		08/2016
	Acedin Heat 5000 H	approved		08/2016
	Acedin Heat 5010	approved		08/2016
	Acedin Heat 6100	approved		08/2016
	Acedin Heat 6100 H	approved		08/2016
	Acedin Heat 6200	approved		08/2016
	Acedin Heat 6200 H	approved		08/2016
	Acedin Heat 6405 H	approved		10/2016
	Acedin Sprint 405 X	approved		08/2016
ECS Nottingham Ltd.	Elite Jet-Star	approved		08/2016
Eggen GmbH & Co. KG	Alcolan Web 2008.3	approved		08/2016
	Alcolan Web	approved		08/2016
	Alcolan Web V78.66	approved		08/2016
	Alcolan Web V78.66/75	approved		08/2016
	Alcolan Web V78.475	approved		08/2016
	Alcolan Web V78.485	approved		08/2016
	Oxilan WEB-LR	approved		08/2016
	Oxilan WEB-LR V87.48	approved		08/2016
	Alcolan Web V 78.65	approved		08/2016
Felix Böttcher GmbH & Co. KG	BöttcherFount H-2003	approved		08/2016
Flint Group	Arrowchem FS 2060	approved		08/2016
	FS 2072 Fount	approved		08/2016
	Journal Fount T	approved		08/2016
	Journal Fount T 250	approved		08/2016
	Varn HSF 9144	approved		08/2016
Flint Group Germany GmbH	Hydroweb AFS 610 Var. A	approved		08/2016
	Hydroweb AFS 610 Var. B	approved		08/2016
	Hydroweb AFS 610 Var. C	approved		08/2016
Fuji Hunt Photographic Chemicals	20359 Free Fount C1	approved		08/2016
Graphokem S.p.A.	Fontex HQ 20	approved		08/2016
Guardian Chemicals Inc.	Paragon 517	approved		08/2016
	Varyx 517	approved		08/2016
H&H Graphic Supplies Ltd.	HFO4102 Heatset Fount	approved		08/2016
Hausleiter Druckhilfsmittel GmbH & Co. KG	Hacodamp 756	approved		08/2016
	Hacodamp 748	approved		08/2016
Heidelberg Canada	Saphira FS-1020 a	approved		08/2016
Huber GmbH	Hydrolith HS-NA	approved		08/2016
hubergroup	Hydrofix N 10 V 9100 09	approved		08/2016
	Redufix AF 02VP 1891 09	approved		08/2016

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
hubergroup	Redufix AF 02VP 1891 19	approved		08/2016
	Redufix AF 02VP 1891 29	approved		08/2016
	Redufix AF 8400	approved		08/2016
	Redufix AF 8400 09	approved		08/2016
	Redufix AF 8400 19	approved		08/2016
	Redufix AF 8400 29	approved		08/2016
	Redufix AF 8450 09	approved		08/2016
	Redufix AF 8450 19	approved		08/2016
	Redufix AF 8450 29	approved		08/2016
	Redufix-R 10V 8325.29	approved		08/2016
	Redufix R 8420 09	approved		08/2016
	Redufix R 8420 19	approved		08/2016
	Redufix R 8420 29	approved		08/2016
	Redufix RP 8425 09	approved		08/2016
	Redufix RP 8425 19	approved		08/2016
	Redufix RP 8425 29	approved		08/2016
	Hydrofix-XS 8198 09	approved		08/2016
	Hydrofix-XS 8198 19	approved		08/2016
	Hydrofix-XS 8198 29	approved		08/2016
	Hydrofix-XS 8198 79	approved		08/2016
IMAF S.p.A.	Graph Fount 6000	approved		08/2016
	Rotoplus 7000	approved		08/2016
MGF a division of MecGraf S.r.l.	HMR-23	approved		08/2016
	HMR-26	approved		08/2016
New Waterline AG	Qualifount HS	approved		08/2016
Openshaw Group	Spectrum Fount 3220	approved		08/2016
PCO Europe B. V.	Dyna Col AC 320	approved		08/2016
	Dyna Col AC 320 H	approved		08/2016
	Dyna Col AC 320 S	approved		08/2016
	WinSprint 2020C	approved		08/2016
	WinSprint 2020-C H	approved		08/2016
	WinSprint 2020-C S	approved		08/2016
	Dynacol AC 310	approved		08/2016
	Dynacol AC 310 S	approved		08/2016
	Dyna Col AC 330 LC	approved		08/2016
	Dyna Col AC 330 LC-H	approved		08/2016
	Dyna Col AC 330 LC-S	approved		08/2016
	WinSprint 2030 LC	approved		08/2016
	WinSprint 2030 LC-H	approved		08/2016
	WinSprint 2030 LC-S	approved		08/2016
	Dyna fount 498 CI	approved		08/2016
	Winfount HSAR1-C	approved		08/2016
	Winfount HSCI	approved		08/2016
	WinSprint 2010-C	approved		08/2016

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
	WinSprint 2010-C H	approved		08/2016
	WinSprint 2010-C S	approved		08/2016
PressMax	FountMax Red 20.10 AF	approved		08/2016
	FountMax Red 20.20 AF	approved		08/2016
	FountMax Red 20.21 AF	approved		08/2016
	FountMax Red 20.25	Approved		08/2016
	FountMax Red 20.30 AF	approved		08/2016
	FountMax Red 20.40	approved		08/2016
	FountMax Red 21.65 AF	approved		08/2016
	FountMax Red 22.10 AF	approved		08/2016
	FountMax Red 22.21 AF	approved		08/2016
	FountMax Red 22.30 AF	approved		10/2016
Pressroom Solutions Inc.	Platinum Plus 1678	approved		08/2016
Pressroom Solutions Inc.	Platinum Plus 1679	approved		08/2016
Printer´s Service (Prisco)	Webfount 115 E	approved		08/2016
	Webfount 225 E	approved		08/2016
Printer´s Service (Prisco)	Webfount 230 E	approved		08/2016
	Webfount 560 E	approved		08/2016
Rycoline Products Inc.	International Series 588 Fountain Solution	approved		08/2016
Samor Italia S.r.l.	Fount Web 200	approved		08/2016
Shijiazhuang Taihang Technological and Industrial Co.	TH-808	approved		08/2016
Schwegmann, Bernd	Schwego Soft 2000	approved		08/2016
	Schwego Soft 2200	approved		08/2016
	Schwego Soft 2201	approved		08/2016
	Schwego Soft 3000 AYB	approved		08/2016
	Schwego Soft 3000 AYH	approved		08/2016
	Schwego Soft 3000 AYN	approved		08/2016
	Schwego Soft 3000 AYW	approved		08/2016
	Schwego Soft 3000 AYW ED5619	approved		01/2017
	Schwego Soft 3000 AYW ED5625	approved		01/2017
	Schwego Soft 3000 AYW ED5626	approved		01/2017
Siegwerk Druckfarben AG Co. KGaA	Equile 50-060721-3	approved		08/2016
	Equile Solo 50-060724-7	approved		08/2016
	Equile Solo 50-060725-4	approved		08/2016
	Equile Solo 50-060726-2	approved		08/2016
	Equile Solo 50-060729-6	approved		08/2016
Soha Chemicals	Continental FSH 38 Ci	approved		08/2016
Solco Offsetproducts	Dampstar 1.5	approved		08/2016
	Dampstar 1.53 Soft	approved		08/2016
	Dampstar 1.6 Q7	approved		08/2016
	Dampstar 2.4 Ci	approved		08/2016
	Dampstar 2.5	approved		08/2016
	Dampstar 2.9	approved		08/2016

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to	
	Dampstar 7.9	approved		08/2016	
	Dampstar 7.11	approved		08/2016	
	Dampstar 7.21	approved		08/2016	
	Dampstar 7.55	approved		08/2016	
	Dampstar 7.6	approved		08/2016	
	Dampstar 7.6 Hard	approved		08/2016	
	Dampstar 7.81	approved		08/2016	
	Dampstar 7.82	approved		08/2016	
	Dampstar 7.82 Hard	approved		08/2016	
	Dampstar 7.83	approved		08/2016	
	Dampstar 7.83 Hard	approved		10/2016	
Wolfgang Spielberger e.K.	Alco down Rollenoffset IPA-reduziert R23	approved		08/2016	
	Alco down Rollenoffset IPA-reduziert R23 S	approved		08/2016	
	Alco down Rollenoffset IPA-frei R45	approved		08/2016	
	Alco down Rollenoffset IPA-frei R45 S	approved		08/2016	
	Alco down Rollenoffset IPA-frei R46	approved		08/2016	
	Alco down Rollenoffset IPA-frei R46 S	approved		08/2016	
	Alco down Rollenoffset IPA-frei R47	approved		08/2016	
	Alco down Rollenoffset IPA-frei R47 S	approved		08/2016	
	Alco down Rollenoffset IPA-frei R48	approved		08/2016	
	Alco down Rollenoffset IPA-frei R48 S	approved		08/2016	
Wolfgang Spielberger e.K.	Alco down Superdot R60	approved		08/2016	
	Alco down Superdot R60 S	approved		08/2016	
	Alco-down Rollenoffset IPA-frei R200	approved		08/2016	
	Alco-down Rollenoffset IPA-frei RS200	approved		08/2016	
	Sun Chemical NV	Sunfount 430	approved		08/2016
	Sun Chemical Eurolab	SunFount 6339	approved		08/2016
		SunFount 6339 VE	approved		08/2016
		SunFount Classic HV	approved		08/2016
SunFount Universal HV		approved		08/2016	
Tewtrell Ltd. Graphic House	Concept Fount	approved		08/2016	
	Prema Fount	approved		08/2016	
TPE Corporation (Hong Kong) Ltd	Winstar HF 2.0	approved		08/2016	

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions

manroland AG – Commercial Presses

09th Jan 2012

Manufacturer	Product name	Comment/ status	Plastic Part Testing ⁺	Approval valid to
	Winstar HF 2.9	approved		08/2016
Ultrachem Ltd.	Primafont AF 2	approved		08/2016
	Spectrum 2270	approved		08/2016
Varn Products GmbH	AF Super Speed Fount	approved		08/2016
Vegra GmbH	Alco Damp Rot 3232/868 Zi dH N	approved		08/2016
	Alco Damp Rot 3232/869 Zi dH N	approved		08/2016
	Alco Damp Rot 3232/870 Zi dH N	approved		08/2016
	Alco Damp Rot 3232/877 Zi dH N	approved		08/2016
	Alco Damp Rot 3232/881 Zi dH N	approved		08/2016
	Alco Damp Rot 3232/900 N	approved		09/2016
	Easyrot 3000 Zi (E-941)	approved		08/2016
	Superkonzentrat Rot E-850/867 Zi	approved		08/2016
WebXtras	WebFount 2213	approved		08/2016